



ALLIANCE
BUILDING SUPPLY





VITREOUS CHINA
HIGH EFFICIENCY TOILET

3091 ELONGATED TOILET

- FEATURES:**
- One-piece toilet integrate the tank and bowl into a seamless, easy-to-clean design
 - Elongated siphonage action bowl
 - CSA listed for USA and Canadian Code compliances
 - EPA WaterSense listed with 1.28gpf
 - 3" dual water flush valve, CUPC certificated
 - 2-1/2" fully glazed trap way
 - S-trap, 12" rough-in
 - Soft close seat cover
 - 100% factory flush tested
 - Includes color matched bolts blocks
 - Chrome-plated top button
 - Side hand lever available

NOMINAL OVERALL DIMENSION:

Length x Width x Height
(690mm x 370mm x 740mm, 27-1/8" x 14-5/8" x 29-1/8")


Compliance Certifications-Meets or Exceeds the following Specifications:

- ASME A112.19.2-2013/CSA B45.1-13 - Ceramic plumbing fixtures
- ASME A112.19.14-2013 - Six-Liter Water Closets Equipped With a Dual Flushing Device
- EPA's WaterSense Specification for Tank-Type Toilets

IMPORTANT :
Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2M.



ADA





VITREOUS CHINA
HIGH EFFICIENCY TOILET

3092 ELONGATED TOILET

- FEATURES:**
- One-piece toilet integrate the tank and bowl into a seamless, easy-to-clean design
 - Elongated siphonage action bowl
 - CSA listed for USA and Canadian Code compliances
EPA WaterSense listed with 1.28gpf
 - 3" dual water flush valve, CUPC certificated
 - 2-1/2" fully glazed trap way
 - S-trap, 12" rough-in
 - Soft close seat cover
 - 100% factory flush tested
 - Chrome-plated top button
 - Side hand lever available


NOMINAL OVERALL DIMENSION:

Length x Width x Height
(700mm x 385mm x 775mm, 27-1/2" x 15-1/8" x 30-1/2")

Compliance Certifications-Meets or Exceeds the following Specifications:

- ASME A112.19.2-2013/CSA B45.1-13 - Ceramic plumbing fixtures
- ASME A112.19.14-2013 - Six-Liter Water Closets Equipped With a Dual Flushing Device
- EPA's WaterSense Specification for Tank-Type Toilets

IMPORTANT :
Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2M.





VITREOUS CHINA
HIGH EFFICIENCY TOILET

**8008
8008S ELONGATED TOILET**

- FEATURES:**
- One-piece toilet integrate the tank and bowl into a seamless, easy-to-clean design
 - Elongated siphonage action bowl
 - CSA listed for USA and Canadian Code compliances
 - 8008: 1.6gpf with dual flush
 - 8008S: EPA WaterSense listed with 1.28gpf, with single flush
 - 2" water flush valve, CUPC certificated
 - 2" fully glazed trap way
 - S-trap, 12" rough-in
 - Soft close seat cover
 - 100% factory flush tested
 - Includes color matched bolts blocks
 - Chrome-plated top button


NOMINAL OVERALL DIMENSION:

Length x Width x Height
(730mm x 385mm x 650mm, 28-3/4" x 15-1/8" x 25-5/8")

Compliance Certifications-Meets or Exceeds the following Specifications:

- ASME A112.19.2-2013/CSA B45.1-13 - Ceramic plumbing fixtures
- ASME A112.19.14-2013 - Six-Liter Water Closets Equipped With a Dual Flushing Device
- EPA's WaterSense Specification for Tank-Type Toilets


IMPORTANT :
Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2M.





3093-I INTELLIGENT TOILET

Main unit identification




Compliance Certifications-Meets or Exceeds the following Specifications:

- ASME A112.19.14-2013 - Six-Liter Water Closets Equipped With a Dual Flushing Device
- Personal Hygiene and Health Care Appliances – UL 1431, 3rd Edition, Dated March 23, 2011, Revised October 12, 2012
- Motor-operated appliances (household and commercial) - CSA C22.2 No. 68-14 Update No. 3
- Household Cooking and Liquid-Heating Appliances - CSA C22.2 No. 64-14


3093 FEATURES:

- Elongated siphonage action bowl
- CSA listed for USA and Canadian Code compliances
EPA WaterSense listed with 1.28gpf
- 2" dual water flush valve, CUPC certified
- 2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- 100% factory flush tested
- Chrome-plated top button




3094 FEATURES:

- Elongated siphonage action bowl
- CSA listed for USA and Canadian Code compliances
EPA WaterSense listed with 1.28gpf
- 3" dual water flush valve, CUPC certified
- 2-1/2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- 100% factory flush tested
- Chrome-plated top button
- Side hand lever available




3095 FEATURES:
(T-105)

- Siphonage action bowl
- CUPC listed for USA and Canadian Code compliances
EPA WaterSense listed with 1.28gpf
- 3" dual water flush valve, CUPC certified
- 2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- Seat cover length: 16-3/4"
- 100% factory flush tested
- Chrome-plated side hand lever




3099 FEATURES:

- Siphonage action bowl
- CSA listed for USA and Canadian Code compliances
EPA WaterSense listed with 1.28gpf
- 3" dual water flush valve, CUPC certified
- 2-1/2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- Seat cover length: 16-7/8"
- 100% factory flush tested
- Chrome-plated top button
- Side hand lever available




3097N FEATURES:

- Elongated siphonage action bowl
- CSA listed for USA and Canadian Code compliances
- 1.6gpf with dual flush
- 2" water flush valve, CUPC certificated
- 2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- 100% factory flush tested
- Includes color matched bolts blocks
- Chrome-plated top button
- Side hand lever available




8085 FEATURES:

- Elongated siphonage action bowl
- CSA listed for USA and Canadian Code compliances
- 1.6gpf with dual flush
- 2" water flush valve, CUPC certificated
- 2" fully glazed trap way
- S-trap, 12" rough-in
- Soft close seat cover
- 100% factory flush tested
- Includes color matched bolts blocks
- Chrome-plated top button



5620A DROP-IN BASIN


- FEATURES:**
- Vitreous China
 - Rectangular basin
 - Single faucet hole
 - With front overflow
 - Drop-in installation
 - Size: 20-1/2" x 17" x 7"






5621(9050)
FEATURES:

- Rectangular basin
- Single faucet hole
- With rear overflow
- Drop-in installation
- Size: 21-3/8" x 18-3/8" x 7-1/2"




5821A(2254)
FEATURES:

- Rectangular basin
- With overflow
- Undermount installation
- Size: 20-7/8" x 14-3/4" x 8-1/8"




5623B
FEATURES:

- Rectangular basin
- Single faucet hole
- With front overflow
- Drop-in installation
- Size: 23-1/2" x 18-1/2" x 8-7/8"




5818A(1814)
FEATURES:

- Rectangular basin
- With overflow
- Undermount installation
- Size: 18-1/8" x 14" x 7-1/4"




5623C
FEATURES:

- Rectangular basin
- Single faucet hole
- With front overflow
- Drop-in installation
- Size: 23" x 19-1/8" x 7-1/2"



5824(2405)
FEATURES:

- Rectangular basin
- With overflow
- Undermount installation
- Size: 23-5/8" x 16-1/2" x 8-1/8"






5820D

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 19-7/8" x 16" x 7-1/8"



5820(2013)

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 20-1/4" x 15" x 7-1/2"



5820C(1713)

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 19-7/8" x 15-3/8" x 7-5/8"



5817B(2012)

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 17-3/4" x 12-5/8" x 7-1/2"



5819A(2009)

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 19-11/16" x 14-3/4" x 7-7/8"



5821B(2005)

FEATURES:

- Rectangular basin
- With overflow
- Undermount installation
- Size: 20-7/8" x 13-5/8" x 7-1/2"






5815A

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 15-3/4" x 14" x 6-7/8"



5822

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 21-5/8" x 14-3/4" x 7-1/2"



5821C(2401)

FEATURES:


- Rectangular basin
- With overflow
- Undermount installation
- Size: 20-7/8" x 14-1/2" x 6-7/8"



5619

FEATURES:


- Oval basin
- Three faucet holes
- With front overflow
- Drop-in installation
- Size: 19-1/2" x 19-1/2" x 8-1/8"



5620(SK25)

FEATURES:


- Oval basin
- Three faucet holes
- With front overflow
- Drop-in installation
- Size: 20-1/4" x 17-7/8" x 7-1/2"



5623A

FEATURES:


- Oval basin
- Single faucet hole
- With front overflow
- Drop-in installation
- Size: 23-1/4" x 19-1/4" x 9-1/4"






5815B(1512)
FEATURES:

- Oval basin
- With overflow
- Undermount installation
- Size: 15-3/16" x 12-3/16" x 7-1/2"




5819B(L19)
FEATURES:

- Oval basin
- With overflow
- Undermount installation
- Size: 19-5/8" x 16-1/2" x 8-1/8"




5817(1708)
FEATURES:

- Oval basin
- With overflow
- Undermount installation
- Size: 17-3/8" x 14-1/8" x 7-5/8"




5819B-N
FEATURES:

- Oval cut side under counter basin
- With overflow
- Undermount installation
- Size: 19-5/8" x 16" x 8-1/8"




5818B(1801)
FEATURES:

- Oval basin
- With overflow
- Undermount installation
- Size: 18-1/4" x 15-1/8" x 7-5/8"



5821D
FEATURES:

- Oval basin
- With overflow
- Undermount installation
- Size: 20-7/8" x 16-1/8" x 8-7/8"






5820B (2215) ADA UNDER COUNTER BASIN

FEATURES:


- Vitreous China
- Rectangular ADA basin
- No faucet hole, requires wall-mounted or counter-mounted faucet
- With overflow
- Undermount installation
- Size: 20-1/2" x 15-1/8" x 5-1/4"



5818C ADA UNDER COUNTER BASIN

FEATURES:


- Vitreous China
- Rectangular ADA basin
- No faucet hole, requires wall-mounted or counter-mounted faucet
- With overflow
- Undermount installation
- Size: 18-7/8" x 14-1/2" x 6-3/8"



1824 VANITY TOP

FEATURES:


- Vitreous China
- Rectangular basin
- Single faucet hole
- With rear overflow
- Countertop installation
- Size: 23-5/8" x 18-1/8" x 7-1/8"



1848 VANITY TOP

FEATURES:

- Vitreous China
- Rectangular basin
- Single faucet hole
- With rear overflow
- Countertop installation
- Size: 47-5/8" x 18-1/8" x 7-1/8"






1830

FEATURES:


- Rectangular basin
- Single faucet hole
- With rear overflow
- Countertop installation
- Size: 29-1/2" x 18-1/8" x 7-1/8"



TP5912

FEATURES:


- Rectangular artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 22-1/2" x 17-7/8" x 6-1/8"



1836

FEATURES:


- Rectangular basin
- Single faucet hole
- With rear overflow
- Countertop installation
- Size: 35-5/8" x 18-1/8" x 7-1/8"



TP5941

FEATURES:


- Square artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 18-1/4" x 18-1/4" x 6-1/8"



1840

FEATURES:


- Oval basin
- Single faucet hole
- With front overflow
- Drop-in installation
- Size: 39-3/4" x 18-1/8" x 7-1/8"



5916


FEATURES:

- Square artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 16-3/8" x 16-3/8" x 5-7/8"




**5917B****FEATURES:**


- Rectangular artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 17-3/8" x 18-7/8" x 6-7/8"

**5919****FEATURES:**


- Rectangular artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 19-5/8" x 17-3/8" x 5-7/8"

**TP5919****FEATURES:**


- Round artistic basin
- Single faucet hole
- With rear overflow
- Above-counter installation
- Size: 18-1/4" x 18-1/4" x 6-1/4"

**TP7813****FEATURES:**


- Artistic basin
- Without overflow
- Above-counter installation
- Size: 24" x 15-1/2" x 5-7/8"

**TP5915****FEATURES:**

- Artistic basin
- With overflow
- Above-counter installation
- Size: 22-7/8" x 14-3/4" x 7-1/2"


**TP5933****FEATURES:**

- Sloping square artistic basin
- Without overflow
- Above-counter installation
- Size: 16-1/8" x 16-1/8" x 4-3/4"




**5918****FEATURES:**


- Sloping rectangular basin
- With overflow
- Above-counter installation
- Size: 18-1/8" x 16-1/8" x 5-7/8"

**5921****FEATURES:**


- Sloping rectangular artistic basin
- With overflow
- Above-counter installation
- Size: 21-5/8" x 15" x 5-3/8"

**TP2300B/TP2300****FEATURES:**


- Sloped rectangular artistic basin
- Without overflow
- Above-counter installation
- TP2300B Size:
21-5/8" x 15-3/4" x 5-1/8"
- TP2300 Size:
25-9/16" x 15-3/4" x 5-1/8"

**5917A****FEATURES:**


- Round artistic basin
- Without overflow
- Above-counter installation
- Size: 16-1/2" x 16-1/2" x 5-7/8"

**TP5902****FEATURES:**

- Round artistic basin
- With overflow
- Above-counter installation
- Size: 16-1/2" x 17-1/8" x 6-7/8"

**TP7078A****FEATURES:**


- Round artistic basin
- Without overflow
- Above-counter installation
- Size: 16-1/8" x 16-1/8" x 6-1/4"






TP7811A
FEATURES:

- Artistic basin
- Without overflow
- Above-counter installation
- Size: 24"x14" x 6-1/8"




TPE408
FEATURES:

- Rectangular artistic basin
- Without overflow
- Above-counter installation
- Size: 27-1/2" x 15-1/2" x 5-1/8"




5926
FEATURES:

- Artistic basin
- Without overflow
- Above-counter installation
- Size: 25-5/8" x 17-3/4" x 4-3/4"




TP7812
FEATURES:

- Square artistic basin
- Without overflow
- Above-counter installation
- Size: 18-1/8" x 16-1/8" x 6-7/8"




TP2113
FEATURES:

- Artistic basin
- Without overflow
- Above-counter installation
- Size: 16-3/4" x 16-3/4" x 5-1/8"



5915
FEATURES:

- Square artistic basin
- Without overflow
- Above-counter installation
- Size: 15-1/2" x 15-1/2" x 5-1/2"






5920

FEATURES:


- Rectangular artistic basin
- Without overflow
- Above-counter installation
- Size: 19-5/8" x 15-3/4" x 5-3/8"



TP7657

FEATURES:


- Square artistic basin
- Single faucet hole
- Without overflow
- Above-counter installation
- Size: 17-1/2" x 17-1/2" x 4-1/8"




5921W

FEATURES:

- Sloping rectangular basin
- With overflow
- Wall-Hung installation
- Size: 20-7/8" x 18-1/8" x 15-9/16"




419 ARTISTIC CERAMIC BASIN



FEATURES:

- Color artistic basin
- No faucet holes, requires wall- or counter-mount faucet.
- Above-counter installation
- Size: 19-1/8" x 15-1/2" x 5-3/4"

420 ARTISTIC CERAMIC BASIN




FEATURES:

- Color artistic basin
- No faucet holes, requires wall- or counter-mount faucet.
- Above-counter installation
- Size: 16-1/8" x 16-1/8" x 5-3/4"

2318-S APRON KITCHEN SINK

FEATURES:


- Vitreous China
- Ceramic kitchen sink
- No faucet hole, requires wall-mounted or counter-mounted faucet
- Without overflow
- Undermount installation
- Size: 23" x 18" x 9"



3019 APRON KITCHEN SINK

FEATURES:

- Vitreous China
- Ceramic kitchen sink
- No faucet hole, requires wall-mounted or counter-mounted faucet
- Without overflow
- Undermount installation
- Size: 29-7/8" x 19-5/8" x 10"



1917 AMERICAN COMMERCIAL PRODUCTS



FEATURES:

- Vitreous China
- Wall-hung basin
- Available with single faucet, 4" or 8"
- Wall-hung installation
- Size: 19-1/2" x 17-1/2" x 9-1/2"

214 AMERICAN COMMERCIAL PRODUCTS



FEATURES:

- Vitreous China
- Wall-mounted urinal
- Top flushing installation
- Size: 18-3/4" x 2-3/8" x 26"